





The Horse Friendly Fence®



**SIMPLY THE
BEST HORSE
FENCE ON THE
PLANET.**

PLANNING GUIDE

Is Your Fence an Asset or a Liability?



WHAT MAKES CENTAUR AN ASSET?

SAFETY - The leading cause of injury to horses is due to accidents with traditional fencing. Unlike other fences, Centaur's superior strength and flexibility significantly reduces injury and death to horses, saving money on expensive trips to the vet, and protecting horses from harm.

LOW MAINTENANCE - Centaur® fencing is virtually maintenance free. It requires no painting or expensive repairs. Centaur offers unprecedented warranties on all our fencing.

BEAUTY - Centaur® fencing looks as nice as traditional fencing without the costly upkeep, adding value to your home and property.



Inventor Ed Robbins

Centaur® Fence was developed because an innovative inventor, Ed Robbins, witnessed a tragic accident almost 30 years ago – a friend's horse became entangled in a wire fence, and was subsequently euthanized due to extensive injury. It was at that very moment when Ed Robbins, an avid horseman, swore he would create fencing material that would be extraordinarily safe for horses. And that's exactly what he did!

Ed founded a company in 1967 called ES ROBBINS Corporation, an industry leader in polymer and plastics manufacturing. Knowing the possibilities of plastics and looking long and hard at what made traditional fence materials a threat to horses, Ed created a fence in 1987 that was safe and effective. Backed by a series of patents, this new fencing offered secure containment, and in addition, a gentle rebound for any horse that encountered the fence.

Today at Centaur® HTP® Fencing Systems, all the rail products and single strand products utilize HTP®, an exclusive cross-linked polymer technology, to create an incredibly strong and flexible horse fence. Each rail or strand is installed in a continuous roll, allowing any impact to be absorbed by the entire length of the fence.

We all have horses because we love them, and we proudly showcase the lifestyle that horses bring to our lives. Centaur complements those ideals. With Centaur® fence, our horses are safe, and we've added value to our home. These are the qualities that make Centaur fencing an asset, **not** a liability.

Centaur®. Simply the best horse fence on the planet.



Don't make a bad situation worse!





Exclusive "Hot Rail"® Revolutionizes Electric Fencing for Horses

Centaur's Hot Rail® is an innovative and safe way to electrify a fence, as well as retain the traditional board fence appearance. Hot Rail® is available in three colors (black, brown or white) and looks exactly like the classic Centaur® 5" rail products with one notable exception. Within Hot Rail®, one of the three embedded high tensile wires is electrified, eliminating the need for a dangerous, ugly, separate hot wire.

The high tensile wire that delivers the "punch" of electricity in the Hot Rail® is totally embedded into a conductive polymer surrounding the electrified wire. This wire is located on the outer edge of the 5" rail, thus giving an option when installing the rail to position the electric wire on the top or bottom position of your rail.

With the addition of electric properties, Hot Rail® is simply the strongest, safest, and most attractive electric rail fence on the market.



It's Electrified!



Table of Contents

| | |
|--|-------|
| Introduction..... | 2 |
| Hot Rail® | 3 |
| Selecting the Right Fence | 5 |
| Fencing Products | |
| Centaur® HTP® | 6-7 |
| Hot Rail® | 8-9 |
| CenFlex®..... | 10-11 |
| White Lightning® | 12-13 |
| PolyPlus HTP®..... | 14-15 |
| Configurations | |
| Lexington..... | 16 |
| Ocala | 16 |
| Aiken..... | 17 |
| Weatherford..... | 17 |
| Del Mar | 18 |
| Scottsdale..... | 18 |
| Columbus..... | 19 |
| Sure-Fit® Accessories | 20-23 |
| Centaur Test Farm | 24-25 |
| Additional Products and Information..... | 26 |
| Fence Layout..... | 27 |



Selecting the Right Fence

When it comes to choosing the best fence for your property, there are many factors you'll need to consider:



Containment Strength

How many animals and the type will really determine how strong your fence needs to be. An area designed to contain a stallion may require four rails with eight foot post spacing while one for mares may require three rails with 12 foot post spacing. Reinforced flexible fencing, like Centaur® HTP®, is one of the strongest fences available. Contact a Centaur fencing specialist to configure the best fence for your application.

Safety For a Strong, Safe Fence

While a stronger fence can also be a safer, you need to know how the fence material reacts when subjected to significant impact. Braided rope can break easily, tangling the horse's legs and causing panic. Wood and rigid PVC fencing

will break and splinter. Woven wire contains spaces that can trap a horse's hoof, especially a foal. Safety-coated high tensile wire and reinforced flexible rail fencing will rebound on impact, almost completely eliminating the chance of serious injury.

Cost and Maintenance

Budget drives many decisions when it comes to fencing projects. Safety-coated high tensile wire is an inexpensive choice and requires little in long-term maintenance. Centaur® HTP® flexible rail fencing is comparable in cost to wood fencing, without the long-term maintenance and repair costs.

Ease of Installation

Do-it-yourselfers looking for a quick-to-install fence will find safety-coated high tensile products like Centaur's PolyPlus easy to install. For first time fence installers, the Centaur® fence installation DVD and installation manual will guide you through the seven easy steps to a professional installation. For those who prefer the experience of a professional fence installer, Centaur has a world-wide network of certified installers.

Appearance - Initial and Long Term

Selecting a fence that will visually complement your property is an important consideration. Reinforced flexible fencing replicates the traditional look of wood rail fence while maintaining its appearance with little maintenance and upkeep.

Warranty

Centaur® HTP® 5" rail and Hot Rail® have a 30-year limited warranty against manufacturer's defects. CenFlex® fencing is guaranteed with a limited 20-year warranty. Centaur's safety-coated high tensile wire fencing, both electric and non-electric, also have a 20-year warranty. Instructions for submitting your warranty can be found on the Installation DVD or online at www.centaurhtp.com.

When planning your fence, ask yourself the following questions:

Which horse-friendly fence product or combination of products am I most interested in? How many rails or strands of each product are necessary to contain my animals? What will my line spacing be?

This guide will help answers these questions and assist you in planning the best fence for your farm. Complete the fence layout and configuration chart on page 31 and return to a Centaur representative or your local Centaur dealer for a complete material list and price quote.

Example of completed Configuration Chart on page 31.

| Rail/ Strand | Centaur® HTP® 5" Rail | Hot Rail® 5" Electric Rail | CenFlex® 5" Rail | White Lightning® Coated Electric Rail | Poly-Plus HTP® |
|-----------------|-----------------------------|----------------------------------|---------------------|---|-------------------|
| Top | | X | | | |
| 2nd | | | | | X |
| 3rd | | | | | X |
| 4th | | | | | X |
| 5th | | | | | X |
| 6th | | | | | |

Scottsdale configuration, page 18



Centaur® HTP®

5" Flexible Rail


- Safest Rail on the Market
- The Horse Friendly Fence®
- Practically Maintenance Free



Centaur® HTP® 5" Rail is the premiere horse fence. Centaur® HTP® has the traditional look of board fence without the high maintenance costs. Created from a blend of virgin polymers, embedded with three strands of 12.5 gauge wire, Centaur® HTP® is a superior flexible fence that is safer than wood, wire or vinyl.

Centaur® HTP® 5" rail withstands impact without risking injury to your horse. HTP® technology combines the pliability of polymer with the strength of high tensile, creating a rail that is safer, stronger and more flexible, helping reduce horse injuries on your farm.

Centaur® installs faster than wood and rigid PVC and will not splinter, rust, rot or crack! Minimal maintenance required for the life of the fence.



The molded Centaur® high-tensile polymer bracket with steel reinforced bar is virtually indestructible.

The exclusive design allows the rail to move through the brackets dispersing impact. Stability bars prevent "buckling" due to upward or downward pressure on the rail extending rail life.

Exclusive Centaur® brackets are the **ONLY** brackets created for flexible polymer fencing

Centaur® HTP®



- No Splinters • No Painting**
- No Rust • No Peeling**
- No Cribbing • No Problem**

SPECIFICATIONS


| | |
|---------------------|---|
| Rail | 5" - 3 Wire |
| Roll Length | 330' 660' |
| Steel Wire | 12.5-Gauge |
| Min. Break Strength | 4,200 lbs |
| Weight Per Roll | 88 lbs 185 lbs |
| Colors | White <input type="radio"/> Black <input type="radio"/> Brown <input type="radio"/> |
| Brackets | 2-Piece |


Centaur is the inventor of High Tensile Polymer (HTP), a material that is a blend of impact modifiers, UV stabilizers, and anti-fungicides. Formulated for strength, durability and appearance, HTP® fencing material is stain-resistant and mildew resistant.

Centaur® fence withstands temperature conditions from -40°F/-40°C to 200°F/93.3°C without becoming brittle or experiencing any kind of breakdown.



Centaur® HTP® 5" Flexible Rail

- Withstands expansion rates due to temperature changes
- Each rail is installed in a continuous length allowing impact to be absorbed by the entire length of the fence
- Centaur® HTP® 5" Rail is manufactured in  Muscle Shoals, Alabama
- Fence life is 30+ years with a 30-year limited warranty
- Centaur® HTP® 5" rail is easily combined with other Centaur rail and strand fencing to fit your budget or design needs



Centaur® Barrel Tensioner

Tensioners mount unobtrusively on end or line posts, preserving the traditional appearance of the fence.

Constructed of heavy-duty steel, Centaur barrel tensioners are tough and durable. One-way barrel tensioners for short runs and two-way barrel tensioners for long runs make tensioning your rail simple and fast.



RECOMMENDED SURE-FIT® ACCESSORIES

Wood Line Post

| RECOMMENDED SURE-FIT® ACCESSORIES | Wood Line Post |
|-----------------------------------|----------------|
| Barrel Tensioner One-Way | ✓ |
| Barrel Tensioner Two-Way | ✓ |
| Brace Plate or Brace Pin | ✓ |
| 3.5" Nails or 2.5" Screws | ✓ |
| 12.5-Gauge Wire Links | ✓ |
| Splice Cover or Splice Buckle | ✓ |
| Spinning Jenny | ✓ |
| T-Bracket | ✓ |
| Termination Bracket | ✓ |
| Inside Corner Roller | ✓ |
| Centaur Brackets | ✓ |
| Termination Loop | ✓ |

*Can not be installed on T-Posts

Centaur® HTP® in our most popular configurations:

Hot Rail®



Lexington
pg. 16



Ocala
pg. 16

Hot Rail®

Electric HTP® 5" Rail




OLD WAY
Dangerous hot wire and wood

- Safest Electric Fence on the Market
- One-Piece HTP® Electric Rail Eliminates Separate Wire
- Cuts Installation Time in Half!


Hot Rail® Electric HTP® 5" Rail is an innovative fence that combines Centaur® HTP® technology with the security of electric fencing while eliminating the need for a dangerous separate hot wire.

Hot Rail® is the safest electric fence available! By combining electric properties within the rail, Hot Rail® protects your horse without the need for a separate hot wire that can slice a horse like a knife.

Hot Rail® Electric HTP® 5" rail withstands impact without risking injury to your horse. HTP® technology combines the pliability of polymer with the strength of high tensile, creating a rail that is safer, stronger and more flexible, helping reduce horse injuries on your farm.



- No Splinters • No Painting
- No Rust • No Peeling
- No Cribbing • No Problem



The molded Hot Rail® high-tensile polymer bracket with steel reinforced bar is virtually indestructible.

The exclusive design allows the rail to move through the brackets dispersing impact. Stability bars prevent "buckling", due to upward or downward pressure on the rail, extending rail life.

Exclusive Centaur® brackets are the ONLY brackets created for flexible polymer fencing

| SPECIFICATIONS | ELECTRIC |
|---------------------|-------------------------------|
| Rail | 5" - 3 Wire |
| Roll Length | 330' 660' |
| Steel Wire | 12.5-Gauge |
| Min. Break Strength | 4,050 lbs |
| Weight Per Roll | 93 lbs 182 lbs |
| Colors | White ○ Black ● Brown ● |
| Brackets | 2-Piece |

Centaur is the inventor of High Tensile Polymer (HTP), a material that is a blend of impact modifiers, UV stabilizers, and anti-fungicides. Formulated for strength, durability and appearance, HTP® fencing material is stain and mildew resistant. With the addition of electric properties, Centaur has created Hot Rail®, the strongest and safest electric fence on the market.


Used as a bottom rail, Hot Rail® can help keep out predators. The electric shock acts as a buffer to your animals helping protect them from predators.



The Insulator Pad is used to insulate the barrel tensioners when using Hot Rail® Electric HTP®.

Each pad is 6" x 4' and may be cut to size during installation.

Hot Rail® Electric HTP® Rail

- Withstands expansion rates due to temperature changes
- Each rail is installed in a continuous length allowing impact to be absorbed by the entire length of the fence
- Hot Rail® 5" Rail is manufactured in Muscle Shoals, Alabama  **MADE IN THE USA**
- Fence life is 30+ years with a 30-year limited warranty
- Hot Rail® Electric HTP® 5" rail is easily combined with other Centaur rail or strand fencing to fit your budget or design needs



RECOMMENDED SURE-FIT® ACCESSORIES Wood Line Post

| RECOMMENDED SURE-FIT® ACCESSORIES | Wood Line Post |
|------------------------------------|----------------|
| Hot Rail® One-Way Barrel Tensioner | ✓ |
| Two-Way Barrel Tensioner | ✓ |
| Brace Plate or Brace Pin | ✓ |
| 3.5" Nails or 2.5" Screws | ✓ |
| 12.5-Gauge Wire Links | ✓ |
| Splice Cover or Splice Buckle | ✓ |
| Spinning Jenny | ✓ |
| Hot Rail® Termination Bracket | ✓ |
| Inside Corner Roller | ✓ |
| Centaur Brackets | ✓ |
| Under-Gate Cable | ✓ |
| Line Tap Connector | ✓ |
| Stafix Electric Products | ✓ |
| Insulator Pad | ✓ |

*Can not be installed on T-Posts


Hot Rail® Electric HTP® in our most popular configurations:



Lexington
pg. 16



Scottsdale
pg. 18



Aiken
pg. 17



CenFlex®


5" Flexible Rail



CenFlex® HTP® 5" Rail offers the same flexible safety as our Centaur® HTP® with a lighter weight construction and one-piece bracket design.

CenFlex® 5" rail withstands impact without risking injury to your horse. HTP® technology combines the pliability of polymer with the strength of high tensile, creating a rail that is safer, stronger and more flexible, helping reduce horse injuries on your farm.

CenFlex® installs faster than wood and rigid PVC and will never splinter, rust, rot or crack! Minimal maintenance required for the life of the fence.



The molded CenFlex® high-tensile polymer bracket with steel bar is virtually indestructible.

The exclusive design allows the rail to move through the bracket dispersing impact. Stability circles prevent "buckling" due to upward or downward pressure on the rail extending rail life.

Exclusive CenFlex® bracket is the **ONLY** single bracket created for flexible polymer fencing



No Splinters • No Painting
No Rust • No Peeling
No Cribbing • No Problem

SPECIFICATIONS


| | |
|---------------------|---|
| Rail | 5"-3 Wire |
| Roll Length | 330' 660' |
| Steel Wire | 12.5-Gauge |
| Min. Break Strength | 4,000 lbs |
| Weight Per Roll | 165 lbs |
| Colors | White <input type="radio"/> Black <input type="radio"/> Brown <input type="radio"/> |
| Bracket | 1-Piece |



Inside Corner Roller
Allows rail to be run inside most corners smoothly and securely, allowing for easy and even tensioning. Can be used with Hot Rail®, Centaur®, or CenFlex®.



CenFlex® 5" Flexible Rail

- Withstands expansion rates due to temperature changes
- Each rail is installed in a continuous length allowing impact to be absorbed by the entire length of the fence
- CenFlex® HTP® 5" Rail is manufactured in  Muscle Shoals, Alabama
- Fence life is 20+ years with a 20-year limited warranty
- CenFlex® 5" rail is easily combined with other Centaur fencing to fit your budget or design needs




RECOMMENDED SURE-FIT® ACCESSORIES

Wood Line Post

| RECOMMENDED SURE-FIT® ACCESSORIES | Wood Line Post |
|-----------------------------------|----------------|
| Barrel Tensioner One-Way | ✓ |
| Barrel Tensioner Two-Way | ✓ |
| Brace Plate or Brace Pin | ✓ |
| 3.5" Nails or 2.5" Screws | ✓ |
| 12.5-Gauge Wire Links | ✓ |
| Splice Cover or Splice Buckle | ✓ |
| Spinning Jenny | ✓ |
| T-Bracket | ✓ |
| Termination Bracket | ✓ |
| Inside Corner Roller | ✓ |
| Cenfex Brackets | ✓ |
| Termination Loop | ✓ |

*Can not be installed on T-Posts

CenFlex® HTP® in our most popular configurations:



Aiken
pg. 17



Del Mar
pg. 18



Weatherford
pg. 17



White Lightning[®]

Coated Electric Wire

- Safer than Smooth or Barbed Wire
- 2x Stronger Than Braid
- Good Visibility

White Lightning[®] is permanent electric fencing that combines high tensile wire for strength and polymers with a mixture of carbon for safety and conductivity. Our three shock point design provides 360° conductivity.

White Lightning withstands impact without risking injury to your horse. Our coated design means no slicing or cutting injuries.

White Lightning[®] installs like electric high-tensile wire and is engineered for durability, resistant to wear and withstands extreme temperature ranges. It is effective in high-tensile installations regardless of overall fence length.





**Sure-Fit[®]
Safety
Sleeve**

Unique T-sleeves convert a metal T-post into an HTP[®] post that is much safer and more attractive.

Durable and impact resistant.
Available in white or black.

◀ **Exclusive Sure-Fit[®] Safety Sleeves** fit securely over standard metal t-posts


Safety-Shock Points for Better Containment



| SPECIFICATIONS | | ELECTRIC |
|---------------------|-------------------------------|----------|
| Roll Length | 500' 1000' 1320' | |
| Steel Wire | 12.5-Gauge | |
| Min. Break Strength | 1,400 lbs | |
| Weight Per Roll | 27 lbs 52 lbs 70 lbs | |
| Colors | White ○ Black ● Brown ● | |


Centaur is the inventor of High Tensile Polymer (HTP), a material that is a blend of impact modifiers, UV stabilizers, and anti-fungicides. Formulated for strength, durability and appearance, HTP® fencing material is stain and mildew resistant.

White Lightning® withstands temperature conditions from -40°F/-40°C to 200°F/93.3°C without becoming brittle or experiencing any kind of breakdown.



The Fencer's Lasso® is the easiest and fastest way to terminate, insulate and tension electrified single strand products! A combination of a heavy-duty end strain insulator and tensioner with a pre-fastened looped cable. No crimping tool required.


Fits up to 8" diameter post.



RECOMMENDED SURE-FIT® ACCESSORIES

| | Wood | T-Post |
|-------------------------------|------|--------|
| Fencer's Lasso® | ✓ | ✓ |
| Tensioner Handle | ✓ | ✓ |
| Sure-Fit® Safety Sleeve | N/A | ✓ |
| Sure-Fit® Safety Sleeve Clips | N/A | ✓ |
| Wood Post Insulator | ✓ | N/A |
| T-Post Insulator | N/A | ✓ |
| Staples | ✓ | ✓ |
| Undergate Cable | ✓ | ✓ |
| Line Tap Connector | ✓ | ✓ |
| 12.5 Gauge Wire Line | ✓ | ✓ |
| Spinning Jenny | ✓ | ✓ |
| Lag Corner Insulator | ✓ | ✓ |
| Insultube | ✓ | ✓ |
| Stafix Electric Products | ✓ | ✓ |

White Lightning® in our most popular configurations:



Columbus
pg. 19



White Lightning® Electric Wire


- Withstands expansion rates due to temperature changes
- Unique co-polymer 12.5 gauge galvanized high-tensile steel wire embedded in a tough HTP® Polymer coating with electric properties
- White Lightning® is manufactured in Muscle Shoals, Alabama
- Fence life is 20+ years with a 20-year limited warranty
- White Lightning® coated high tensile wire is easily combined with other Centaur rail and strand fencing to fit your budget or design needs



PolyPlus HTP[®]

Coated High Tensile Wire

- **Most Economical Fence**
- **2x Stronger Than Braid**
- **Safer Than Smooth, Barbed Wire or Braid**



PolyPlus HTP[®] is permanent fencing that uses a 12.5 gauge pre-straightened galvanized high-tensile wire embedded in a tough HTP[®] polymer coating to produce a safer and more visible wire fence.

PolyPlus HTP[®] withstands impact without risking injury to your horse. Our coated design means no slicing or cutting injuries.

PolyPlus HTP[®] installs like high-tensile wire and is engineered for durability, resistant to wear and withstands extreme temperature ranges. It is effective in high-tensile installations regardless of overall fence length.



Unique T-sleeves convert a metal T-post into an HTP[®] post that is much safer and more attractive. Durable and impact resistant. Available in white and black.

◀ **Exclusive Sure-Fit[®] Safety Sleeves** fit securely over standard metal t-posts




SPECIFICATIONS

| | |
|---------------------|-------------------------------|
| Roll Length | 1320' |
| Steel Wire | 12.5-Gauge |
| Min. Break Strength | 1,400 lbs |
| Weight Per Roll | 64 lbs |
| Colors | White ○ Black ● Brown ● |

Centaur is the inventor of High Tensile Polymer (HTP®), a material that is a blend of impact modifiers, UV stabilizers, and anti-fungicides. Formulated for strength, durability and appearance, HTP® fencing material is stain and mildew resistant.


PolyPlus HTP® withstands temperature conditions from -40°F/-40°C to 200°F/93.3°C without becoming brittle or experiencing any kind of breakdown.



The Fencer's Lasso® is the easiest and fastest way to terminate and tension your single strand products.

A combination of an in line tensioner with a pre fastened looped cable which allows for a fast attachment to your end post in just seconds without a crimping tool.

Fits up to 8" diameter post.



RECOMMENDED SURE-FIT® ACCESSORIES

| | Wood | T-Post |
|-------------------------------|------|--------|
| Fencer's Lasso® | ✓ | ✓ |
| Tensioner Handle | ✓ | ✓ |
| Sure-Fit® Safety Sleeve | N/A | ✓ |
| Sure-Fit® Safety Sleeve Clips | N/A | ✓ |
| In-Line Tensioner | ✓ | ✓ |
| Barbed Staple | ✓ | N/A |
| 12.5 Gauge Wire Link | ✓ | ✓ |
| Spinning Jenny | ✓ | ✓ |

PolyPlus HTP® in our most popular configurations:



Weatherford
pg. 17



Scottsdale
pg. 18



Columbus
pg. 19

Hot Rail®



PolyPlus HTP® Coated Wire

- Withstands expansion rates due to temperature changes
- Unique single-strand fence rail using 12.5 gauge galvanized high-tensile steel wire embedded in a tough HTP® Polymer coating
- PolyPlus HTP® is manufactured in Muscle Shoals, Alabama
- Fence life is 20+ years with a 20-year limited warranty
- PolyPlus HTP® coated high tensile wire is easily combined with other Centaur fencing to fit your budget or design needs



Configurations


Lexington

Tired of sagging and broken top rails because your horse reaches over and leans?

The handsome Lexington design is the perfect solution for keeping your horse off the top rail of the fence, and still maintaining that elegant four-rail look for a dignified fencing architecture.



Lexington Fence Configuration

| |
|--|
|  Hot Rail® 5" |
| Centaur® 5" |
| Centaur® 5" |
| Centaur® 5" |

Also available in rich ebony black and earthy brown



30-year limited warranty

- Electrified 5" Hot Rail® on top rail
- Attractive and rugged 5" Centaur® HTP® bottom three rails
- Unites the safety, flexibility and elegance exclusive to Centaur's combination of electrified and rail fencing

Centaur Saves The Day!


I installed Centaur® HTP® Fencing at my home in Alabama because of its durability and low maintenance. Recently, high winds caused several old magnolia trees to fall across this fencing. We simply cut away the fallen trees and tightened the Centaur® HTP® fencing. It looks good as new. This is the only fence I'll ever need.

-Bill from Courtland, AL

Ocala

This handsome, flexible fence is the ultimate "estate look" of fencing!

The Centaur® 5" rail fence is our top-of-the-line – not only does it keep your horses safely contained, its stunning appearance adds value to your real estate. Varying terrain is no problem; this elegant fence can follow hill and dale gracefully. Centaur® is our thickest quality rail material, backed by an unprecedented 30-year warranty. Choose from the Ocala four-rail configuration for that classic beauty, or select a three-rail configuration for a more open and airy appearance.



Ocala Fence Configuration

| |
|-------------|
| Centaur® 5" |
| Centaur® 5" |
| Centaur® 5" |
| Centaur® 5" |

Also available in rich ebony black and earthy brown



30-year limited warranty

- Centaur® is our thickest quality rail material
- Backed by an unprecedented 30-year limited warranty
- Ocala available in four-rail configuration for classic beauty or three-rail for open and airy appearance

Aiken

For curious horses that lean over the fence and to keep those predators away . . .

Is your dream to attain that "estate look" for your fencing while safely containing those curious horses that tend to reach over the fence? Worried about predators and dogs crawling under the fence? This elegant Aiken configuration is for you!



Aiken Fence Configuration

| | |
|---|--------------|
| ⚡ | Hot Rail® 5" |
| | CenFlex® 5" |
| | CenFlex® 5" |
| ⚡ | Hot Rail® 5" |

Also available in rich ebony black and earthy brown



30-year limited warranty Hot Rail®
20-year limited warranty CenFlex®

- 2nd and 3rd rails are our popular 5" CenFlex®
- Top and bottom rails are electrified 5" Hot Rail®
- Combines safety, flexibility and elegance

Horse Enthusiasts,

Think twice before you buy your next fence. If you choose Centaur®, you are going to be richer and your horses safer. Centaur® fences are proven in the field. We have installations that have been up for over 30 years, with no injuries and no more than pocket change in maintenance costs.

-Ed Robbins, Inventor of Centaur® Fencing

Weatherford

Three-rail beauty with a tough PolyPlus barricade

If three-rail fencing is your dream, yet you want to keep your horses from sticking their heads through — and electrified fence isn't part of your plan — the Weatherford is the ideal answer.



Weatherford Fence Configuration

| | |
|---|-------------|
| ⚡ | CenFlex® 5" |
| | PolyPlus |
| | CenFlex® 5" |
| | PolyPlus |
| ⚡ | CenFlex® 5" |

Also available in rich ebony black and earthy brown



20-year limited warranty

- The top, middle and bottom rails are CenFlex® 5" rail
- 2nd and 4th rails are PolyPlus, a nearly invisible single-strand 12.5 gauge galvanized high-tensile steel embedded in a tough, HTP® polymer coating
- PolyPlus is coated in HTP® polymer creating a smooth, safe fence

Configurations

Del Mar

The lowest-priced answer to the awe-inspiring estate look of 5" rail fence

Three rails of 5" CenFlex® form the Del Mar – imagine rolling hills graced with this fence – or simply an elegant paddock alongside the barn. Whatever your application, rest assured that the remarkably safe and flexible 5" CenFlex® will provide you with a safe, distinguished, beautiful, flexible fence.



Del Mar Fence Configuration

| |
|-------------|
| CenFlex® 5" |
| CenFlex® 5" |
| CenFlex® 5" |

Also available in rich ebony black and earthy brown



20-year limited warranty

- A unique rail using three 12.5 gauge galvanized high tensile steel wires embedded in a tough HTP polymer coating
- Like the look of four-rail fence? Simply add another rail!




Scottsdale

Electrified top rail makes this fence an excellent choice

The Scottsdale's top rail is Hot Rail®, an easy-to-see 5" rail that's electrified. The Scottsdale is a handsome, "get it done" combination of electrified and polymer strand fencing that is appropriate for any application.



Scottsdale Fence Configuration

| |
|--|
|  Hot Rail® 5" |
| PolyPlus |
| PolyPlus |
| PolyPlus |
| PolyPlus |

Also available in rich ebony black and earthy brown



20-year limited warranty

- The top rail is electrified 5" Hot Rail®
- The bottom four rails are PolyPlus, a flexible and strong fence of unique single-strand wire using 12.5 gauge galvanized high-tensile steel wire embedded in a tough HTP® polymer coating
- PolyPlus is coated in HTP® polymer creating a smooth, safe fence






Columbus

Having problems with predators or even neighborhood dogs?

Or are you simply tired of those rascal horses reaching over, through, or under your fences? The Columbus, with electrified White Lightning® in top, middle and bottom positions, and PolyPlus in the second and fourth positions, is the answer.



Columbus Fence Configuration

-  White Lightning®
-  PolyPlus
-  White Lightning®
-  PolyPlus
-  White Lightning®

Also available in rich ebony black and earthy brown



20-year limited warranty

- **White Lightning® is a co-polymer 12.5 gauge galvanized high-tensile steel wire embedded in a smooth co-polymer coating**
- **PolyPlus is a 12.5 gauge galvanized high-tensile steel wire that's embedded in a HTP polymer coating, creating a smooth and safe fence**

DON'T FORGET!

Watch Centaur® in action. Video online!



Accessories

SURE-FIT[®] ACCESSORIES


✓ Safer, Stronger and Lasts Longer

Centaur's Sure-Fit[®] Accessories are designed to give you the maximum range of options when it comes to designing and installing your Centaur[®] HTP[®] fencing system. All components are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.

SURE-FIT[®] ACCESSORIES

- I Splice Buckle
- Q Undergate Cable
- T One-Way Barrel Tensioner
- W CenFlex Bracket
- L Line Tap Connector
- R Termination Loop
- U Two-Way Barrel Tensioner
- II Splice Cover
- N Termination Bracket
- S Hot Rail[®] One-Way Barrel Tensioner
- V Centaur Bracket


Rail Fence Options:



SURE-FIT[®] ACCESSORIES

- A Fencer's Lasso
- F T-Post Insulators
- J Safety Sleeve Clips
- L Line Tap Connector
- O Wood Post Insulator
- D In-Line Tensioner/Strainer
- G T-Post
- K Safety Sleeve Over T-Post
- N Barbed Staple
- P Line Post
- E End Post
- I 12.5-Gauge Wire Link
- Q Undergate Cable

Single Strand Fence Options:





V Centaur® Hot Rail® Bracket

The 5" "belt-loop" two-piece bracketing system allows the rail to slip through, dispersing impact. Special brackets have a steel core for added strength and durability. The polymer coating acts as an insulator for Hot Rail®.

Available in white, black and brown.



T Barrel Tensioner

Centaur's barrel tensioners constructed of heavy-duty steel make installation faster and easier. Available in single for short runs and double for long runs. Centaur® or CenFlex® only.

Available in white, black and brown.



W CenFlex® Bracket

The one-piece 5" "belt-loop" bracketing system allows the rail to slip through, dispersing impact. Bracket has a steel core for added strength and durability.

Available in white, black or brown.



S Hot Rail® One-Way Barrel Tensioner

Constructed of heavy-duty steel make installation faster and easier for short runs of Hot Rail® fencing. Hot Rail® only.

Available in white, black and brown.



I Sure-Hook® Splice Buckle

Fastest and easiest way to splice a rail fence. Centaur®, Hot Rail® or CenFlex® only.

Available in white, black and brown.



R Termination Loop

Made for fast and easy termination of Centaur and Cenflex that requires no drilling and reduces twisting of brace post. Centaur® or CenFlex® only.



N Sure-Hook® Termination Bracket

Simple, cost effective way to terminate rail fencing. Centaur® or CenFlex® only.

Available in white, black and brown.



Sure-Hook® T-Bracket

Ideal for use when cross fencing. Centaur® or CenFlex® only.

Available in white, black and brown.



Hot Rail® Termination Bracket

Terminates Hot Rail® fencing.

Available in white, black and brown.



Inside Corner Roller

Function allows rail to be installed on insided of corners. Allows for smooth even tensioning. Maybe used with Centaur®, Hot Rail® or CenFlex®

Available in white or black.

Accessories



D In-Line Tensioner
Ratchet type strainers designed to take high tension of Centaur products. Used to tighten Spur®, PolyPlus®, PolyStrand® and White Lightning®.



Tightening handle sold separately.



A Fencer's Lasso®
The Fencer's Lasso® is an end strain insulator with pre attached cable and preformed loop which allows for the fast attachment of an end post in just seconds without any tools. Will fit up to 8" diameter post. Can be used on electric and non-electric single strand products.



B End-Strain Insulator
Centaur's end-strain insulator is specially designed to deliver maximum insulation under extreme pressure from high-tensile wire and end terminations.

Available in white only.



F T-Post Insulator
Sure-Fit® T-Post insulators fasten securely to T-Posts with a wrap-around application. The insulator can be removed and reattached and is designed with a large opening to work with any polymer coated wire.

Available in white or black.



O Wood Post Insulator
Sure-Fit® wood post insulators are specially designed with a large opening to work with any polymer coated wire.

Available in white or black.



G Insultube
Use as an alternative type of insulation on White Lightning® for line posts and corners.

Available in white or black 100' rolls.



AA Centaur Cyclone Spinning Jenny

Heavy duty construction fits all Centaur fence products or high tensile wire.



Z Lag Corner Insulator
The Lag Corner Insulator screws directly into wooden corner posts while holding the high-tension wire away from the post to prevent grounding of the electric current.

Available in black only.



Insulator Pad
Used to insulate the barrel tensioners when used with Hot Rail®. Each 6" x 4' pad can be cut to size during installation.
One Way B/T=6"x6"
Two Way B/T=6"x12"

Available in black.



Brace Plate
The brace plate makes a secure connection between brace and post simple without notching.




Brace Pin
Brace Pin completes a brace assembly that's simple and secure with a professional look (sold separately).



L Line-Tap Connector
Slotted bolt type connector used to make electrical connections. Eliminates power losses from poor connections. One tap can be used to make multiple wire connections.



EE Crimp Fitting
For fast and easy splicing of 12.5 gauge wire.



K Sure-Fit® Safety Sleeve
Unique T-slots convert a metal T-post into an HTP® post that is much safer and more attractive. Sure-Fit® Safety Sleeves eliminate the need for insulators by completely covering the post with pre-cut notches for wire and slots for tape. 54" tall and made out of high-density polyethylene, the Sure-Fit® Safety Sleeve is very durable and impact resistant, providing years of maintenance-free service. Use coated clips to attach wire. Has a 12 year warranty.

Available in white and black.



II Splice Cover
Attractively conceals rail splices for a clean, professional appearance. These easy-to-install covers protect rail splices from the elements and curious horses. Use in combination with wire links or crimp fittings.

Available in white, black or brown.



H Wire Links
Securely splices wire together with a smooth safe splice. No special tools needed. Strip approximately 1" of polymer coating and insert bare wire into wire link. Available in 12.5 gauge.



J Safety Sleeve Clip
Clip to be used in conjunction with safety sleeve.

Available in white and black.



JJ Energizer
The Stafix X1 or X3 energizer operates on a standard 110 volt plug or 12 volt battery

KK



N Barbed Staples
Galvanized barbed staples eliminate rust staining. Available in 1-3/4" to be used with PolyPlus and our wood post and bracket insulators.



Q Undergate Cable
Use to carry power from the energizer to fence or bury under gates. Specially designed polymer coating protects against voltage leakage in extreme conditions.

Available in black only.

Nails and Screws

Used to secure brackets or in-line tensioners.

BB 3.5" or 5" Ring Shank Nail



CC 2.5" Screw - Superior corrosion protection and ACQ compliant.



The Centaur Test Farm

**We put our fences through hell,
so your horses think they're in heaven.**

Located in Elgin, AL, the Centaur Test Farm is home to 500+ acres, approximately 55,760 feet of Centaur® fencing, 25 horses and 0 fence related injuries.

At Centaur we take pride in developing, testing and manufacturing high quality products that ensure the safety of your horses and the beauty of your fence for years to come. The test farm has weathered many storms over the past 25 years and some of the oldest Centaur to-date still retains its form and function while new formulations and improvements are tested daily.

We push Centaur® fencing and accessories to the limit. Take a look at Centaur in action and see for yourself why Centaur is "Simply the Best Horse Fence on the Planet."



As good as new!



Tree is removed...




Tree falls on fence...

It happens all the time...an unexpected storm with high winds sends a tree crashing down jeopardizing the perimeter of your fence and the safety of your horses. Centaur's flexible design absorbs and disperses impact eliminating broken rails and keeping your horses safely contained.



Centaur Fence





Our fence is safe and the elephant is happy. It's a good day!



Even a full size pickup truck is no match for Centaur's superior flexibility and strength.



No Damage!

The World's Largest Land Mammal vs. The World's Strongest Fence

What happens when two Asian elephants weighing over two-tons each stand, lean and push on Centaur® fencing? Centaur rebounds, holding up to the elephant's enormous strength. The rail springs back into place, once again, proving the flexibility of Centaur's high tensile polymer fencing.

Look for the Centaur Elephant Tough commercial and all of our other 'stress tests' online at: www.CentaurHTP.com



Additional Products and Information



Use for storage, home, workshop, farm and more!

Kleerflex Door®

This tough, exclusive hardware system with clear flexible strips offers a brilliant solution to exterior doors!

- Quick and easy to install
- Year-round temperature control
- Dust, noise and static reduction
- Specially formulated to withstand low temperatures
- Available in sizes ranging from 3' to 8' width and 7' to 12' height



Centaur Now Offers A Comprehensive Installation Manual and DVD!



Centaur is proud to support its customers with a high quality Installation DVD and a comprehensive Installation Manual.

The DVD shows a professional fence installer building a variety of fences, instructing the viewer in a step-by-step process from the very beginning of a fencing project to the moment when you can safely turn your horses out into the newly fenced area. For added convenience, the DVD is broken into several easy-to-navigate chapters.

The Installation Manual is a perfect accompaniment to the Installation DVD, with precise diagrams and printed instructions. The manual can be taken to the project site after watching the DVD.



What We Need to Know to Quote Your Centaur® HTP® Fence

Guide to Fencing Square Acres

| Acres | Feet |
|----------|--------|
| 1/4 ACRE | 417' |
| 1/2 ACRE | 590' |
| 3/4 ACRE | 722' |
| 1 ACRE | 834' |
| 2 ACRES | 1,182' |
| 3 ACRES | 1,446' |
| 4 ACRES | 1,670' |
| 5 ACRES | 1,867' |
| 6 ACRES | 2,046' |
| 7 ACRES | 2,208' |
| 8 ACRES | 2,361' |
| 9 ACRES | 2,504' |
| 10 ACRES | 2,640' |

- What is the number of running feet of the area you will be fencing?
- What post spacing do you want to use? (8', 10', or 12')
- What type of corners do you prefer? (90 degree or a 5 post rounded corner)
- How many rails of fence do you want to install?
- Will you install the fencing yourself or have it installed by a trained installer?
- How many gates will be required?
- Are you fencing level or irregular terrain?
- A drawing of the layout is always helpful when quoting?

Fence Layout

How much spacing will between your line posts? 8' 10' 12'


• Type of post

| Rail/Strand | Centaur® HTP® 5" Rail | Hot Rail® 5" Electric Rail | CenFlex® 5" Rail | Poly-Plus HTP® | White Lightning® Coated Rail |
|-------------|-----------------------|----------------------------|------------------|----------------|------------------------------|
| Top | | | | | |
| 2nd | | | | | |
| 3rd | | | | | |
| 4th | | | | | |
| 5th | | | | | |
| 6th | | | | | |

_____ Wood _____ T-Post

*5" material cannot be installed on T-Post

Fence Layout Example:



Draw the proposed fence in the space below. • Mark any gates with an X. • Note the distance of each of the lines you draw.

Name: _____ Email: _____ Phone: _____

• Fax to 1-866-455-1320. A Centaur® representative will respond quickly with the list of materials needed for your fence project. Call with any questions, 1-800-348-7787.



The Horse Friendly Fence®

2802 East Avalon Avenue
Muscle Shoals, AL 35661
Ph 800-348-7787 | 256-248-2556
Fax 256-248-2418
Email info@centaurhtp.com

Scan Me



"Like"
us on
Facebook



Follow
us on
Twitter



MADE IN THE USA

Part# 993125
0912

Watch Centaur in action.
Video online!

www.centaurhtp.com

